



McFINELY
HEALTHCARE

MEDICAL EQUIPMENT



Our Partners:





DEAR COLLEAGUES, PARTNERS AND FRIENDS

McFINELY has been an active player in the field of healthcare for over 10 years. In this highly productive period, we have managed to build a reputable manufacturing and trading company that is recognized and respected in many countries.

McFINELY puts quality, reliability and technological expertise above everything, and we therefore employ only highly competent experts experienced in their fields.

McFINELY adopts a conservative approach to its business development, offering only proven medical equipment whose economic efficiency stands unchallenged. Moreover, we constantly monitor and analyze the latest achievements in the field of medicine and medical equipment and take particular care to renew and expand our product range to guarantee that our products meet all up-to-date requirements.

In cooperation with leading manufacturers of medical equipment, McFINELY has designed and successfully promotes the widest range of modern medical equipment under the unified trading brandname.

McFINELY imposes stringent requirements for the quality of its manufactured equipment, ensuring both its safety and high reliability. The high standards of the company management system is certified ISO 13485/9001 and all our manufactured products are CE-marked.

BASIC EQUIPMENT.....

MATERNITY & NEONATAL CARE.....

DIAGNOSTIC IMAGING EQUIPMENT.....

THEATRE EQUIPMENT.....

STERILIZING EQUIPMENT.....

LABORATORY EQUIPMENT.....

ICU.....

HOSPITAL FURNITURE.....


DENTAL EQUIPMENT.....

MEDICAL GAS SYSTEMS.....

MORTUARY EQUIPMENT.....



McFINELY
HEALTHCARE



BASIC EQUIPMENT



BASIC EQUIPMENT



MCB-0001 DIGITAL BP Machine

Features:

- Intelligent pressurized
- Large-scale LCD display
- Time and date display
- 90 memory records
- Irregular heartbeats detector
- WHO Classification Indicator
- Average value display of three times measurement
- Auto-off in 1 minute

Model	JPD-900A	Type	Arm
Measuring	Oscillation	Working method	Intermittent
Memory	90 records	Accuracy	Pressure: ± 3 mmHg Pulse: $\pm 5\%$
Measurement Range	Pressure: 40~280mmHg Pulse: 30~160 times/minute		
Parts	AAAx4, Pouch, User manual		

MCB-0002 Digital BP Machine on a stand



MC-0003 Aneroid BP machine



Artery label

Vinyl or Nylon zippered carrying case

Palm type aneroid sphygmomanometer

Plastic shell

65mm diameter dia



MC-0004 Mercurial BP machine

Aluminum alloy diecast case:	2.5mm inner diameter of glass tube
Cotton standard cuff:	54*14.5cm
Standard 2-tube latex bladder:	22*12cm
Short tube with plastic connector:	25cm
Measure scope:	0-300mmHg
Accuracy:	+/- 3mmHg
Sub-division:	2mmHg

BASIC EQUIPMENT



MCB-0005 Infrared Thermometer

Intended Use: Forehead mode for all ages
Object Measurement mode
Display: HD LCD Display
Accuracy:
Forehead: 32.0°C-42.2°C/ 89.6°F - 107.9 °F(±0.3°C/±0.6°F)
Object: 0.0°C-100.2°C/32.0°F - 212.0 °F(±0.3°C/±0.6°F)
Battery: AAx2
Fever Warning: 6 short double beeps
Memory Storage: 20 sets of measurement data
Temperature Units: °C/°F adjustable
Automatic Shutdown Function: 10s±1s
Display Resoluton : 0.1°C/0.1°F

MCB-0006 Digital Thermometer



MCB-0008 Stethoscope Single Tube



Oxidized Aluminium
chest piece

MCB-0007 Mercurial Thermometer



MCB-0009 Stethoscope Double Tube



Oxidized Aluminium
chest piece

SCALES

MCB-0010

MECHANICAL WEIGHING / HEIGHT SCALE



MCB-0011

DIGITAL WEIGHING / HEIGHT SCALE




OPTION:

- 2. **MCB-0011A** Digital Without BMI
- 3. **MCB-0011B** Digital With BMI

MCB-0012

BATHROOM WEIGHING SCALE



OPTION:

- 2. **MCB-0012A** Digital
- 3. **MCB-0012B** Mechanical

MCB-0013

BABY WEIGHING SCALE



OPTION:

- 2. **MCB-0013A** Digital
- 3. **MCB-0013B** Mechanical

MCB-0014
NEBULIZER ON A STAND



- OPTION:
1. **MCB-0014A** WITHOUT STAND
 2. **MCB-0014B** WITH STAND

MCB-0015
PLASTER CUTER



MCB-0016 PULSE OXIMETER



Main Specifications	
Range	0% to 100% Oxygen saturation and 25-250bpm pulse rate
Resolution	1% Oxygen saturation and 1bpm for pulse rate
Accuracy	70-100% +/- 2% for Oxygen saturation and +/- 2% or +/-1 bpm for pulse rate.
Display	LCD 2.4 inch colour display
Power Supply	Size "AA" rechargeable batteries and a charger.
Sensor	For adult, paediatric and neonate
Input Voltage	100-240V, 50-60HZ
Battery Life	10-14 hours before recharging
Warranty	2 years in spare parts and Service.
Included Documentation	User and technical manual.
Battery capacity	Low Battery indicator.



Product Description

NTDCB-B is able to monitor oxygen concentration in the body and pulse rate through non-invasive means. Should be both battery and mains powered. It is lightweight, portable, user friendly and easy to clean.

OPTION:

1. MCB-0016A paediatric
2. MCB-0016B Adult

Examination Lamp



- 1.lamination intensity 50000 iux
- 2.color rendering index Ra =90
- 3.color temp 3500 + 500 k

MVA Kit - Double Valve



Manual Vacuum Aspiration (MVA Kit)

Fetal Scope





McFINELY
HEALTHCARE


MATERNITY & NEONATAL CARE




MATERNITY & NEONATAL CARE

MCM-0001 BABY INCUBATOR

- Microprocessor based servo controlled temperature system
- Control mode: Air mode
- Humidity is adjustable in two levels
- Set temperature, air temperature, heating power are displayed separately by LED
- Self - testing function, multiple audible and visual alarms
- Alarm functions: Power failure, over temperature, temperature deviation, fan failure, temperature sensor failure
- >37°C temperature set function
- Triple protection for over temperature with separate cut off device, more safety system
- The inclination of infant bed is adjustable
- Single wall hood, 4 operating windows and 2 iris ports, 3 infusion seals
- Locking device for front door
- RS232 connector, 1 tray
- Optional function: X ray cassette tray, LED phototherapy unit



LED Phototherapy(up side BL-30D)



LED Phototherapy(down side BL-100D)



MCM-0002 Fetal doppler on a stand



OPTION:

2. **MCM-0001A** Without Photo Therapy Light
3. **MCM-0001B** With Photo Therapy Light

MCM-0003 INFANT RADIANT WARMER



- Temperature Control Mode: servo control
- Instant Parameter Display: set temp, skin temp, heat power rate
- Audible/Visual Alarms: temp deviation, sensor failure, power failure, temp override
- Tilting Bed with Rotary Radiant Head
- X-ray Cassette Tray under infant bed, examination light of high illuminance
- Use anti-blast quartz infrared tube as radiant heating source

OPTION:

2. **MCM-0003A** Without Photo Therapy Light
3. **MCM-0003B** With Photo Therapy Light

MATERNITY & NEONATAL CARE

MCM-0004 FETAL DOPPLER - HANDHELD TYPE




Display: LCD Screen
Performance: FHR Value, Volume, FHR Mode, Battery Status
Range&Accuracy: FHR Measurement Range: 50-210 bpm
Accuracy: ± 2 bpm
Measuring Modes: Real-time, Average and Manual Counting
Ultrasound Frequency: 3.0MHz
Dimension: 260x96x35(mm)
Net Weight : 250g \pm 5g
Backlight and Speaker: Backlight, Adjustable Volume
Battery Type: 7.2V NI-MH(Rechargeable)or AAx3

OPTION:

1. **MCM-0004B** BATTERY
2. **MCM-0004B** RECHARGEABLE

MCM-0005 PHOTO THERAPY LIGHT



MATERNITY & NEONATAL CARE

MCM-0006

HIGH-END DELIVERY BED



options:

1. MCM-0006A hydraulic
2. MCM-0006A electric

MCM-0007

GYNECOLOGICAL BED - MANUAL TYPE



MCM-0008

DELIVERY BED - MANUAL TYPE



Height can be adjusted, also width via rotation in fixation



McFINELY
HEALTHCARE

DIAGNOSTIC IMAGING EQUIPMENT



DIAGNOSTIC IMAGING EQUIPMENT

MCD-0001

Trolley Color Doppler
Ultrasound machine



- *19"LED display
- *4D function
- *7 Kinds language
- *Hard disk
- *4 probe connectors
- *DVD-RW
- *4USB ports
- *DICOM 3.0
- *ISO13485,CE, User Manual

MCD-0008

Trolley Color Doppler
Ultrasound machine



- * Window system
- * 17 inch LED color display
- * Multi-language
- * 3 Probe connectors
- * 2 USB port
- * DICOM 3.0
- * ISO13485,CE, User Manual

MCD-0002

Trolley B/W Doppler
Ultrasound machine



- * 15 inch LED display
- * 3 probe connectors
- * Support various pseudo-color
- * 2 USB ports
- * Multi-language
- *SVGA, PAL-D video output
- * ISO13485,CE, User Manual

MCD-0003

Laptop Color Doppler
Ultrasound machine



- * Window system
- * 15 inch LED color display
- * Battery 2-3 working hours
- * 3 USB port, HDMI, DICOM 3.0
- * Aluminum case packing
- * ISO13485,CE, User Manual

MCD-0004

Laptop Color Doppler
Ultrasound machine



- * 12 inch LED color display
- * Battery 3-5 working hours
- * USB port
- * Support OB report
- * Aluminum case packing
- * Support various pseudo-color
- * ISO13485,CE, User Manual

DIAGNOSTIC IMAGING EQUIPMENT

MCD-0005
Mobile X-Ray



OPTIONS:

1. **MCD-0005A** 50mA
2. **MCD-0005B** 100mA
3. **MCD-0005C** 200mA

MCD-0008
Automatic X-Ray Film Processor



MCD-0006
Fixed X-Ray



OPTIONS:

1. **MCD-0006A** 200mA
2. **MCD-0006B** 500mA
3. **MCD-0006C** 850mA
4. **MCD-0006D** 1000mA

MCD-0009
Mobile C-arm system



MCD-0007
Fixed Digital X-Ray



OPTIONS:

1. **MCD-0007A** 200mA
2. **MCD-0007B** 650mA
3. **MCD-0007C** 850mA
4. **MCD-0007D** 1000mA



McFINELY
HEALTHCARE

THEATRE EQUIPMENT



THEATRE EQUIPMENT

MCT-0001

Double - Arm Ceiling mounted Theatre Light



1. German brand Osram LED bulbs.
2. German brand Ondal Spring arms.
3. LEDs: 80/48.
4. Low power, energy conservation.
5. More than 50,000 hours.

MCT-0002

Single - Arm Ceiling mounted Theatre Light



1. German brand Osram LED bulbs.
2. German brand Ondal Spring arms.
3. LEDs: 80.
4. Low power, energy conservation.
5. More than 50,000 hours.

MCT-0003

Mobile Theatre Light



1. German brand Osram LED bulbs.
2. German brand Ondal Spring arms. (Optional)
3. LEDs: 48.
4. Low power, energy conservation.
5. More than 50,000 hours.

MCT-0004

Hydraulic Operating Table



1. SUS304 stainless steel.
2. Head controlled by two hand cranks.
3. With divided leg

MCT-0005

Electric Operating Table



1. Electric power source.
2. Sliding for over 400mm, C-arm compatible.
3. SUS 304 stainless steel.
4. Built in battery pack.
5. Memory Foam mattress.

MCT-0006

Manual Operating Table



1. Manual Type
2. SUS304 stainless steel.
3. Side controlled by two hand cranks.

THEATRE EQUIPMENT

MCT-0007 Anaesthetic - 850A



10.4"LCD display,built-in Ventilator
5-Tube Flowmeters,O₂,N₂O, AIR 0.1L-10L/min
Two Vaporizer: Enflurane/ Isoflurane/Sevoflurane/Halothane
With 2 drawers .
Respiration Mode:A/C,IPPV(VCV),SIPPV(VCV),IMV,SIMV,
PCV,PEEP,SIGH,MANUAL
Tidal Volume range: Adjustable:10~1500ml,Display: 0~2000ml
Option: PatientMonitor

MCT-0008 Anaesthetic - 850B



8.4"LCD display,built-in Ventilator
5-Tube Flowmeters,O₂,N₂O, AIR 0.1L-10L/min
Two Vaporizer: Enflurane/ Isoflurane/Sevoflurane/Halothane
With 2 drawers .
Respiration Mode:A/C,IPPV(VCV),SIPPV(VCV),IMV,SIMV,
PCV,PEEP,SIGH,MANUAL
Tidal Volume range: Adjustable:10~1500ml,Display: 0~2000ml
Option: PatientMonitor

MCT-0009 Anaesthetic - 01B



5.4"LCD display;Built-in Ventilator
4-Tube FlowmetersO₂,N₂O
Two Vaporizers:Isoflurane/Halothane/Sevoflurane/Halothane
With 1 drawer
RespirationMode : A/C,IPPV, SIPPV, IMV, SIMV, MANUAL
Tidal Volume : 50~1500ml Option:Patientmonitor

MCT-0010 Diathemy Machine



Two working modes: bipolar
coag, bipolar cut
Power: 220V±22V(110V±11V)
50Hz±1Hz
Working frequency:1024KHz

MCT-0011 Diathemy MC-208



Max 300W Electrosurgical
Generator; Seven working
modes: pure cut, blend1,
blend2, contact coag, forced
coag, bipolar coag, bipolar cut.

MCT-0012 Diathemy MC-208



Max 400W Electrosurgical
Generator. Nine working
modes. Wide clinical
applications.

THEATRE EQUIPMENT

MCT-0013 PATIENT MONITOR



MCT-0014 PATIENT MONITOR



15" ECG, Standard 5 Parameters
NIBP, SpO2, RESP, TEMP, HR

MCT-0016 ECG MACHINE



- ① Six channel, 12 leads electrocardiograph.
- ② 7 inch TFT color screen is 800*480, touchscreen and function key control at the same time
- ③ AC/DC, includes built-in lithium rechargeable battery, automatic protection circuit, and it will shut automatically if there is no operation for 5 minutes.
- ④ Auto-analyze and auto diagnostic.
- ⑤ Built in memorizer can store more than 1000 pieces patient's data
- ⑥ Optional print setting
- ⑦ Multi-language operation interface.
- ⑧ Dimension: 315mm(L)*215mm(W)*92mm(H)
- ⑨ Weight: 1.7kg

MCT-0015

Centre Monitor System software



MCT-0017

ECG 12 CHANNEL



- ① Twelve channel, 12 leads electrocardiograph.
- ② 800x600 dots high resolution color touch LCD. Thermal printing system.
- ③ AC: 100 240V, 50/60Hz DC: 14.8V, 3700mAh rechargeable lithium battery
- ④ Record setup according to auto record format and mode, automatically changing leads, measuring and analysing
- ⑤ Built-in memorizer can store up to 1000 cases.
- ⑥ Dimension: 334mm(L) × 320mm(W) × 85mm(H) Multi-language operation interface.
- ⑦ Automatic/manual mode to record and display ECG waveform
- ⑧ Auto measure of ECG waveform parameter

Standard 5 Parameters
ECG, NIBP, SpO2, RESP, TEMP, HR

OPTIONS:

1. MCT-0013A 8" WITH STAND
2. MCT-0013B 10" WITHOUT STAND
3. MCT-0013C 12" WITHOUT STAND
4. MCT-0013D 15" WITH STAND

MCT-0018 DEFIBRILLATOR



Non-synchronizer: outlife
dibrillator

Energy: 0、 20、 50、 100、
160、 250、 300、 360 joule

Charging time : At 360J less
than 10 sec

MCT-0019 DEFIBRILLATOR



Features:

Multiple measuring function include 3-lead, 7-lead, ECG/HR, RESP, SpO2/pulse, NIBP.

Can store trend data for 72 hrs with function to display trend data and trend maps

NIBP Measurement reviewing function, can store 600 pieces of NIBP measurement data

Optional Built-in recorder supports real-time recording, present screen printout and trigger printout by alarm

MCT-0020 suction unit



Voltage: AC220V±10%, 50Hz±2% or
AC110V±10%, 60Hz±2%

Noise: ≤65dB

Max negative pressure value: ≥0.075MPa

Pumping rate: 15L/min

Jug volume: 1000 ml

Continuous Working Time: 0-30 min

MCT-0021 suction unit



Max negative pressure: ≥0.09MPa

Pumping rate: ≥20L/min

Jug capacity: 2500 ml/pc, 2 pieces

Noise: ≤70dB (A)

Power: 120 A

Continuous Working Time: 0-30 min

THEATRE EQUIPMENT

MCT-0022 suction unit



options:

1. Pumping rate: ≥40L/min

2. Pumping rate: ≥60L/min

MCT-0023 Theatre Bowl Stand



option:

1. MCT-0023A Single

2. MCT-0023A Double

MCT-0024 Trolley



MCT-0025 MAYO TROLLEY




MCT-0026 KICK ABOUT



MCT-0027 Theatre Scrap sink



HOSPITAL FURNITURE



HOSPITAL BEDS:




MCF-0001 Drip Stand



MCF-0031



FURNITURE



options:

1. **MCF-0030A** Epoxy coated single crank
2. **MCF-0030B** Epoxy coated Double crank
3. **MCF-0030C** Epoxy coated single crank with castors
4. **MCF-0030D** Epoxy coated single crank with castors and side rails
5. **MCF-0030E** Epoxy coated 3 crank with castors and side rails
6. **MCF-0030F** Stainless steel single crank
7. **MCF-0030G** Stainless steel Double crank
8. **MCF-0030H** Stainless steel single crank with castors
9. **MCF-0030I** Stainless steel single crank with castors and side rails
10. **MCF-0030J** Stainless steel 3 crank with castors and side rails

MCF-0029 BEDSIDE LOCKERS:



options:

1. **MCF-0029A** Epoxy Coated
2. **MCF-0029B** ABS

options:

1. **MCF-0031A** ABS single crank
2. **MCF-0031B** ABS Double crank
3. **MCF-0031C** ABS single crank with castors
4. **MCF-0031D** ABS single crank with castors and side rails
5. **MCF-0031E** ABS 3 crank
6. **MCF-0031F** ABS electric 3 function
7. **MCF-0031G** ABS Electric 5 function for ICU

FURNITURE

MCF-0002
PATIENT STRETCHER



options:

1. **MCF-0002A** Fixed Height Patient Stretcher
2. **MCF-0002B** Adjustable Height Patient Stretcher

MCF-0003
AMBULANCE STRETCHER



MCF-0004
FOLDABLE STRETCHER



MCF-0006
BABY COT



options:

1. **MCF-0006A** Epoxy Coated
2. **MCF-0006B** Stainless

MCF-0007
BABY CRIB



MCF-0005
WARD SCREEN:



options:

1. **MCF-0005A** Epoxy Coated
2. **MCF-0005B** Stainless

MCF-0008
PATIENT TROLLEY



options:

1. **MCF-0008A** Epoxy Coated
2. **MCF-0008B** Stainless

MCF-0009
EXAMINATION COUTCH



options:

1. **MCF-0009A** Epoxy Coated
2. **MCF-0009B** Stainless

MCF-0010
3 FUNCTION BED



MCF-0011
2 FUNCTION BED



MCF-0012
ORTHOPEDIC BED



FURNITURE

MCF-0013
PHLEBOTOMY CHAIR



MCF-0014
ATTENDANT CHAIR



MCF-0015
Office Chair



MCF-0016
Office Table



MCF-0017
Lab Stool



MCF-0018
Step Stool



MCF-0019
COMMODE CHAIR



MCF-0020
WHEEL CHAIR



MCF-0021
OVER BED TABLE



MCF-0022
STEP STOOL



MCF-0020
WHEEL CHAIR



MCF-0023
Drug Trolley ss



MCF-0024
Anesthesia Trolley



MCF-0025
Medicine Trolley




MCF-0026
Medicine Trolley



MCF-0027
Laundry Trolley



MCF-0028
Hospital Mattress




FURNITURE

MCF-0029
Drug Cabinet





- i) Double - door cabinet
- ii) Four shelves

MCF-0030
Pedal Bin SS





McFINELY
HEALTHCARE



STERILIZING EQUIPMENT



AUTOCLAVES

MCS-0001



options:

1. **MCS-0001A** 18 L Autoclave
2. **MCS-0001B** 24 L Autoclave

Full SUS 304 stainless steel structure
Accurate double scale indication
pressure gauge ,
Silicone seal ensuring no steam leakage,
Max working temp. 134°C Max working
pressure 0.22Mpa Time scope 0-80min,
Temp. adjustment 115°C-134°C, Sterilizing
vessel volume 50L / Φ300*537 mm
Power AC220V/50 Hz

MCS-0002



options:

1. **MCS-0002A** 35 L Autoclave
2. **MCS-0002B** 50 L Autoclave
3. **MCS-0002C** 75 L Autoclave
4. **MCS-0002D** 100 L Autoclave

1. Sterilizing course automatic serilizaati operate.
2. With drying functionsuitable dressing drying.
3. The door opening mechanism cannot be operated until the pressure in the chamber is reduced to 0.027MPa.It can't be started on if the door doesn't close well.
4. The door opening mechanism cannot be operated until the pressure in the chamber is reduced to 0.027MPa.It can't be started on if the door doesn't close well.
- 5.The safety value will open automatcally when the inner pressure over 0.24MPa,and the steam be exhausting t the water tank.
6. The power will be cut-o ffautomaatally,cut-o ffthe water and alarm when the machine lacking water.
7. The chamber of the sterilizer is made of stainless steel.
working pressure 0.22MPa
working temperature 134°C
Adjustment of temperature 105°C - 134°C Time of sterilization 0-60 min
Time of drying 0-60 min

MCS-0003



200 L Autoclave

- 1.Sterilizing course automatic seriliaaation trolled by computer, easy to operate.
- 2.With drying function, suitable dressing drying.
- 3.With over-temperature, over-pressure auto-protect device.
- 4.The door opening mechanism cannot be operated until the pressure in the chamber is reduced to 0.027MPa.It can't be start on if the doesn't closed well.
- 5.The safety value will be open automatcally when the inner pressure over 0.24MPa, and the steam be exhausting o the water tank.
- 6.The power will be cut-o ffautomaacally, cut-o ffthe water and alarm when the machine lacking water.
- 7.The chamber of the sterilizer is made of stainless steel.
- 8.With printer.
working pressure 0.22 MPa working temperature 134 °C
Adjustment of temperature 40°C - 134°C Time of sterilizatio 0-99 min
Time of drying 0-99 min
Heat average $\leq \pm 2^{\circ}\text{C}$

AUTOCLAVE DRUMS

MCS-0004



19-101 - 115
Schimmelbusch

	Ø x H sizes in mm
19-101	80 x 80
19-102	105 x 120
19-103	140 x 140
19-104	160 x 120
19-105	160 x 150
19-106	190 x 150
19-107	190 x 190
19-108	240 x 160
19-109	240 x 240
19-110	290 x 160
19-111	290 x 240
19-112	340 x 160
19-113	340 x 340
19-114	390 x 190
19-115	390 x 290



MCS-0005



MCS-0006 8 L DENTAL AUTOCLAVE



18L DENTAL AUTOCLAVE



INSTRUMENT SETS

MCS-0007

Instrument sets



options:


1. **MCS-0007A** Stitching set
2. **MCS-0007B** Delivery set
3. **MCS-0007C** Dressing Set
4. **MCS-0007D** General Surgery Set



MCS-0008

Speculum





McFINELY
HEALTHCARE

LABORATORY EQUIPMENT



MCL-00001

3 Part Haematology Analyzer



- Low reagents consumption
- Accurate sample aspiration
- Supports barcode reader
- Open System

Model	SMART-I
Automatic	Automatic
Throughput	60 Tests/hr
Assay Items	22 Parameters, 3 Parts differential of WBC
Sample Volume	Whole blood 9µl, Pre-dilution blood 20µl
Measuring Principle	Electro-impedance, photometric analysis
Testing Items	WBC, LYM#, MID#, GRA#, LYM%, MID%, GRA%, RSC, HGB, HCT, MCV, MCH, MCHC, RDW -CV, RDW-SD, PLT, MPV, PDW, PC,P-LCR, and 3 Histograms for WBC and PLT
Linearity Range	WBC: 0.0-99.9(x10 ⁹ /L) RBC: 0.0-99.9(x10 ¹² /L) HGB: 0.0-300(g/L) PLT: 0.0-99.9(x10 ⁹ /L)
Accuracy (CV%)	WBC≤2.0% RBC≤1.5% PCT≤3.0% PLT≤5.0% HGB≤1.5% MPV≤3.0% HCT≤2.0% MCV≤1.0% PDW≤3.0% MCH≤2.0% MCHC≤2.0%
Display	10.4" large color LCD Displays
Storage	10,000 Sample Results including histograms, available to increase storage by expanding memory card
Output	USS x3, RS232 x2
Printer	Built-in Thermal printer, USB to external (optional)
Data input	Keypad (mouse and keyboard available)
QC	Automatically calculates X, SD, CV% and saves date
Language	English and Spanish. Other Language on request
Power supply	110/220V±10%, 60/50Hz
Package Size	325x370x545mm
Gross Weight	25kg

LAB EQUIPMENT

MCL-00002


3 Part Haematology Reagents



- Diluent (20)
- Lyse (1L)
- Cleaner (5L)
- Conc.Cleanser(100ML)

MCL-00003

Haematology Controls (L,H,N)



MCL-00004

5 Part Automated Haematology Analyzer



- Low reagents consumption
- Accurate sample aspiration
- Supports barcode reader

LAB EQUIPMENT




- 5 part blood cell counter
- 25 parameters +3 histogram+1 3D scattergram
- 60 samples/hour
- 14" large touch screen
- External USB printer
- Support LIS system
- Stable, durable and economical
- Optical and Impedance methods for BASO measurement using only 3 Haematology Reagents Which are Economical;
 - Diluent 20L
 - Lyse-1 500ml
 - Lyse-2 500ml

SMART-II 5-part Auto Hematology Analyzer

Model	SMART-II		
Throughput	60 tests/hour		
Assay Items	5 parts, 25 parameters, 3 histograms, 4 scattergrams		
Principle	Tri-angle laser scattering, flow cytometry for WBC differentiation and counting, Impedance for RBC and PLT counting, Cyanide-free method for HGB		
Sample Volume	CBC+Diff mode: 20ul Prediluted mode:20ul		
Parameters	WBC, RBC, HGB, HCT, MCV, MCH, MCHC, RDW-SD, RDW-CV, PLT, PDW, MPV, PCT, P-LCR, P-LCC, Neu#, Neu%, Lym#, Lym%, Mon#, Mon%, Eos#, Eos%, Bas#, Bas%		
Performance	Item	Linearity range	Precision (CV)
	WBC	(0-100.0x10 ⁹)/L	≤2.0% (4.0-15.0x10 ⁹)/L
	RBC	(0-8.00x10 ¹²)/L	≤1.5% (3.5-6.0x10 ¹²)/L
	HGB	(0-250)g/L	≤1.5% (110.0-180.0g)/L
	PLT	(0-1000x10 ⁹)/L	≤1.0% (70.0-120.0)fL
	MCV		≤4.0% (150.0-500.0x10 ⁹)/L
Storage	60,000 sample results with histograms and scattergrams		
Interface	4 USB ports, 1LAN port, HL7 protocol, support LIS		
Calibration	Manual and Auto-calibration		
Power Supply	110/220V±10% , 60/50Hz		
Package Size	480*375*517mm		
Gross Weight	36kg		


3D Scattergram

3D holographic scattergram displays the accurate 5 part differentiation of WBC



Dual methods for BASO measurement

The first innovative analyzer combined the optical method of BASO(BASO-O) and impedance method of BASO(BASO-I) together, it brings more reliable and stable measurement of BASO pathologic samples, and minimized the analysis failure.




MCL-00005

Clinical Chemistry

Semi-Automated Portable Open System Clinical Chemistry Analyzer



Large LCD



Keyboard



Printer



Flow Cell

Main Test Items List

Liver Function		Renal Function	Lipids	Cardiac Function	Others
ALT	ALB	BUN	T-CHO	CK	GLU
AST	TTT	CRE	TG	CK-MB	K
ALP	CHE	UA	HDL-C	LDH	Na
T-BIL	Nh3	CO2-CP	LDL-C	HDBH	Cl
D-BIL	γ-GT				Ca
TP					

LAB EQUIPMENT

MCL-00006

Fully Automated Chemistry Analyzer: Open System



Washing Probe



Mixer Probe



Probe for Samples and Reagents



Cuvettes Tray



Reagent Tray Sample Tray

Type	Discrete Automatic, Random Access
Throughput	Constant 200 tests/hour(without ISE)
Test method	End-point, Fixed-time, Kinetic
Optical system	Integrated full closed optical system
Reaction Tray	81 positions for cuvettes
Reaction Volume	Mini 150µl
Sample Tray	60 positions
Sample Volume	2-100µl, 0.1µl by step
Online Sample	30 samples/ batch, unlimited batch input
Reagent tray	60 positions, open system
Reagent Volume	20-500µl, 1µl by step
Reagents Bottle	Bottles with 15ml and 30ml are available dead volume<0.5ml
Heating mode	Solid constant temperature closed direct heating
Reaction temperature	37±0.2°C
Temperature fluctuation	±0.1°C
Refrigeration system	24 hours cooling for reagent tray, temperature 4-12°C
Calibration mode	Linear, Logit-4p, Logit-5p, Spline, Factor, polynomial Automatically check calibration curve and fitting the best calibration curve
QC Type	Muti-type
Operation System	Windows XP or Windows 7
Database	SQL Server
Water Consumption	Less than 5L/hour

MCL-0007

Fully Automated Chemistry Analyzer: Open System



Type	Discrete Automatic, Random Access
Throughput	Constant 300 tests/hour(without ISE)
Test method	End-point, Fixed-time(two point), Kinetic, support double reagent and double wavelength
Optical system	Integrated full closed optical system
Reaction Tray	81 positions for cuvettes reusable
Reaction Volume	Mini 150µl
Sample Tray	80 positions, independent tray
Sample Volume	2-100µl, 0.1µl by step
Online Sample	80 samples/ batch, unlimited batch input
Reagent tray	80 positions, open system, independent tray
Reagent Volume	20-500µl, 1µl by step
Reagent open system, close system for option	
Refrigeration system	Water-medium uniform cooling technology
Reaction temperature	37±0.1°C
Temperature fluctuation	±0.1°C
Refrigeration system	24 hours cooling for reagent tray, temperature 2-10°C
Calibration mode	Linear, Logit-4p, Logit-5p, Spline, Factor, polynomial Automatically check calibration curve and fitting the best calibration curve
QC Type	Muti-type
QC Rules	Multi-rule; default: Westguard
Operation System	Windows XP or Windows 7
Database	SQL Server
Water Consumption	Less than 10L/hour

LAB EQUIPMENT

MCL-0008

Chemistry Reagents, Controls and Calibrators



MCL-00009

Electrolyte Analyzer C: K, Na, Cl, Ca, PH (5 parameters)



Technical Specifications	
Applicable specimens	Blood serum, blood plasma, whole blood, neurolymph and dilute urine
Test time	≤60s
Automatic sampling	Optional
Display	LCD
Operating mode	YES\NO button
Print	Built-in thermal printer
Barcode scanning	No
Communication interface	RS232
Working condition	Temperature: 5°C~30°C Relative humidity ≤85%
Power	AC220V±20; 50Hz±1Hz
Weight	7kg(net)

MCL-00010

Coagulation Analyzer 4 Channel; Open System

LAB EQUIPMENT



Test method	Double magnet route
Sample consumption	≤200uL
Reagent consumption	50uL~200uL
Temperature	37°C±0.5°C
Adding sample	By a timing linkage
Precision	CV≤3%
Test speed	≤300s(depend on setting)
Sample warming-up	16 positions
Reagent warming-up	6 positions
Dimension	370(L)x290(W)x120(H)mm
Weight	4kg(net), 6kg(gross)



MCL-00011

Urine Analyzer



MCL-00012

Urine Strips Para 10



LAB EQUIPMENT

MCL-00013

POC Portable Quantitative Blood Gas Analyzer



MCL-00014

POC Quantitative Immunoassay Analyzer

LAB EQUIPMENT



Reagents for EP1400			
Tumor Maker and Hormones			
Tumor maker	CEA	Hormones	B-HCG
	CA19-9		TSH
	Total PSA		Testosterone
	Free PSA		LH
	CA15-3		FSH
	AFP		T3
CA125	T4		
General reagent items			
Cardiovascular Disease	D-Dimer	Renal Function	HbA1c
	HCY		A 1-MG
	H-FABP		B 2-MG
	CKMB		RBP
	cTnI		Cysc
	Myo		mALB
	NT-proBNP		NGAL
	LP(a)		
LP-PLA2	Autoimmunity	IgA	
Infection		CRP	IgM
		PCT	IgG
	SAA	RF	
Liver Function	TRF	Rheumatoid	ASO
	ADA		Anti-CCP
	PA		
	Gastric function	PgI	
		PgII	



MCL-00015

Serology/Rapid Kits



LAB EQUIPMENT

MCL-00016

Blood Grouping Sera



MCL-00017 Gram Staining Kit



MCL-00020 Field Stain A



MCL-00022 Field Stain B



MCL-00018 Geimsa Stain



MCL-00019 Leishman Stain



MCL-00021 Surgical Spirit



MCL-00023 Distilled Water



LAB EQUIPMENT

LAB EQUIPMENT

MCL-00024
Laboratory Scale



MCL-00026
Centrifuge 6 Tubes



MCL-00028
Centrifuge 12 Tubes, Digital



MCL-00030
Centrifuge 12 Tubes, Digital



MCL-00025
Centrifuge Tubes



MCL-00027
Digital Electronic Timer



MCL-00029
Lab Rotator Mixer



MCL-00031
Lab Roller Mixer



LAB EQUIPMENT

MCL-00032

Microscope, Binocular,
Olympus CX-23LED



MCL-00034

Microscope Lens
cleaning tissues



MCL-00036
Oil Immersion



MCL-00037
Microscope,
Binocular Omega



MCL-00033
VDRL Shaker



MCL-00035
Hot Plate



MCL-00038
Vortex Mixer



LAB EQUIPMENT

MCL-00039
Water Bath



MCL-00041
Bio-safety Cabinet



MCL-00040
Laboratory Water Distiller



MCL-00042
Test Tube Rack




MCL-00043
Staining Rack



LAB EQUIPMENT

MCL-00044
Laboratory Coat



MCL-00045
Phlebotomy Chair



MCL-00046
Laboratory Stool
Adjustable With Back Rest



MCL-00047
Microscope Slides (72pcs)



MCL-00048
Frosted Microscope Slides (72pcs)



MCL-00049
Glucometer- Sinocare



MCL-00050
Haemoglobin Machine-Accurate



LAB EQUIPMENT

MCL-00051

Sterile Swabs in tube
100` Disposable Vaginal



MCL-00052

Sterile Urine containers
(100 ml) 100's



MCL-00053

Sterile Urine containers
(30 ml) 100's



MCL-00054

Microscope Cover Slips
100's (22x22mm)



MCL-00055

Sterile Stool containers
with Spoon(30 ml) 100's



MCL-00056

Polypots (NAS type) 100's



MCL-00057

Blood Bag Single 450ml



MCL-00058

Microscope Cover Slips
100's (24x50mm)



LAB EQUIPMENT

MCL-00059

Eppendorf Tubes 500's 1.5ml



MCL-00060

Cryovials 1.5ml 100's



MCL-00061

Disposable Sterile Petri Dishes 100's



MCL-00062

Vacutainer Needle Holder 100's



MCL-00063

Vacutainer Tubes EDTA 4ml



MCL-00064

Bio-chemistry tubes 12x75mm



MCL-00065

Staining Jar Coplin Plastic



MCL-00066

Medical Elastic Tourniquet



LAB EQUIPMENT

MCL-00067

Autoclave,
Stainless steel-25 Litres:



MCL-00068

Distilled Water 20 Litres



MCL-00069
Micro-Pipettes



MCL-00070

Micro-Pipette Stand



MCL-00071

Micro-Pipettes Tips Yellow



MCL-00072

Micro-Pipettes Tips Blue



MCL-00073

Micro-Pipette Racks



MCL-00074

Laboratory Incubator
Digital- 19 litres



MCL-00075

Laboratory Incubator
Hot air oven - 19 litres



MCL-00076

Westergreen ESR Stand



LAB EQUIPMENT

MCL-00077

Blood Grouping Tile



MCL-00078

Easy-Rate Disposable ESR
Pipettes with Rack



MCL-00079

Wintrobe ESR Tubes



MCL-00080

Silcon Pipette Filler



MCL-00081

Westergreen ESR Tube



MCL-00082

Wintrobe ESR Stand



LAB EQUIPMENT

MCL-00083

Plastic Pasteur Pipettes



MCL-00084

Measuring Cylinder Plastic



MCL-00085

Glass Beakers



MCL-00086

Conical Flasks



MCL-00087

Blood Cell Counter



MCL-00089

Improved Counting
Nebulizer Chamber



MCL-00090

Sharps Container 5Litres



LAB EQUIPMENT

MCL-00091
Lab Digital Timer



MCL-00092
Slide Dryer



MCL-00093
Lab Incubator



MCL-00094


LABORATORY CENTRIFUGE



MCL-0095
Lab Tallying Counter



MCL-00096
Digital CENTRIFUGE



FRIDGES

MCL-00097
Lab / Pharmacy Refrigerator



MCL-00098
KEPI Fridge MK 144




MCL-00099
Laboratory Fridge



MCL-00100
Blood Bank Refrigerator -1 Door



MCL-00101
Blood Bank Refrigerator -2 Door





McFINELY
HEALTHCARE

ICU EQUIPMENT



ICU EQUIPMENT

MCI-0001
VENTILATOR



MCI-0002
INFUSION PUMP



SYRINGE PUMP



MCI-0003
BLOOD GAS ANALYZER



MCI-0004
DEFIBRILLATOR



Non-synchronizer: outlife difibrillator
Energy: 0、20、50、100、160、250、300、360 joule
Charging time : At 360J less than 10 sec

MCI-0005
EGC MACHINE



MCI-0006
PATIENT MONITOR



MCI-0007A
RIPPLE MATTRESS



MCI-0007B
Premium RIPPLE MATTRESS



MCI-0009
ABS BEDSIDE LOCKER



MCI-0008
5 FUNCTION BED




MCI-00010
Neonatal CPAP Machine





McFINELY
HEALTHCARE



DENTAL EQUIPMENT




DENTAL EQUIPMENT

MCD-0001 ADVANCED DENTAL CHAIR




Curing Light
LED



Base
Without Hole




Modified
Side Holder



Adjustable
Suctions




Water
Heater



In-Built
Oral Camera



Fibre Optic
Handpiece



Multi-Functional
Foot Control

ACCESSORIES

1. MCD-0001A Curling Light
2. MCD-0001B Scaler
3. MCD-0001C Hand piece Kit
4. MCD-0001D Dental X-Ray
5. MCD-0001E Dental Film
6. MCD-0001D Processor



Built-In-Scaler

DENTAL EQUIPMENT

MCD-0002 STANDARD DENTAL CHAIR



Standard equipment	
1. Three way syringe(cold & hot)	1set each
2. Automatic cup filler	1set
3. Water strong suction & saliva waek suction	1set each
4. Dental operation light	1set
5. Rotatable tempered ceramic spittoon	1set
6. Purified water-supplied system	1set
7. Dental stool	1pc
8. Inductive air-locked rotary arm system	1set
9. Multifunctional foot controller	1set
10.Panoramic X-ray film viewer	1set
11.24V noiseless DC motor	1set
12.Comfortable backrest & seat	1set
13.High-grade adjustable headrest	1set



Standard equipment	
1. Aluminium alloy baseplate(stable,practical,attractive and durable)	1set
2. 24V Noiseless DC motor chair(Three memory position system)	1set
3. Auto spittoon flushing and cup filler control system	1set
4. Purified water-supplied system	1set
5. Inductive air-locked rotary arm system	1set
6. Rotatable tempered glass spittoon	1set
7. Multifunctional foot controller	1set
8. Junction box	1set
9. Luxurious dental sense operation light	1set
10.Led X-ray film viewer	1set
11.Seamless cushion (with foldable headrest)	1set
12.Dental stool	1pcs
13.Three ways syringe (cold & hot)	2pcs
14.American handpiece tubine connector	3sets
15.American tubes and pipes	1set

MCD-0003

AIR COMPRESSOR 25L



Cadmus™ Dental Air Compress
or
C100/550W

- Silent, Oilless
- Modified motor: 2 relay inside motor,
- Voltage : 170V~240V

Specification:

- Power: 3/4 HP • Air Flow: 90L/min • Voltage: 220V/ 50HZ
- Pressure: 7 BAR • Speed: 1420 RPM • Tank: 25L

MCD-0004

AIR COMPRESSOR 55L



Cadmus™ Air Compressor
C200/1100W

- Silent, Oilless
- Modified motor: 2 relay inside motor,
- Voltage : 170V~240V
- Two motors can work at the same time or separately

Specification:

- Power: 2x550W • Air Flow: 220L/min
- Voltage: 220V/50HZ • Tank: 55L

DENTAL EQUIPMENT

MCD-0005

8L DENTAL AUTOCLAVE



18L DENTAL AUTOCLAVE





McFINELY
HEALTHCARE

INVALID EQUIPMENT



INVALID EQUIPMENT

MCIN-0001A
WALKING CRUTCHES



MCIN-0001B
WALKING CRUTCHES




MCIN-0002
WALKING CRUTCHES



PLUG & PLAY OXYGEN GENERATORS

EXAMPLE OF A COMPLETE SYSTEM FOR A HOSPITAL



MEDICAL GAS SYSTEMS

MCGS-0001 OXYGEN CONCENTRATORS



OPTIONS:

1. **MCGS-0001A** 10L/MIN Single flow
1. **MCGS-0001B** 10L/MIN Double flow
2. **MCGS-0001C** 5L/MIN

MCGS-0002 FLOW METER



MCGS-0004 NITROUS REGULATOR



MCGS-0003 OXYGEN PLANT



MCGS-0005 OXYGEN CYLINDERS



- OPTION:
1. SMALL
 2. LARGE



McFINELY
HEALTHCARE

MORTUARY EQUIPMENT



MORTUARY EQUIPMENT

MCMRT-0001

Stainless steel 6 bodies mortuary refrigerator



MCMRT-0002

Stainless steel mortuary corpse transport trolley with cover



MCMRT-0003

Stainless steel corpse trolley



MORTUARY EQUIPMENT

NT-STG04



MCMRT-0004 201# stainless steel,
Mortuary Refrigerator size:
252*160*130cm
(optional wheels)

NT-STG03



MCMRT-0005 304# stainless steel,
Mortuary Refrigerator size: 252*85*180cm
(optional wheels)

NT-STG01



MCMRT-0006 201# stainless steel,
Mortuary Refrigerator size: 252*82*62cm
(optional wheels)

NTZYG-B



MCMRT-0007
Corpse Viewing Mortuary Refrigerator
210*85*95cm

NTTSC-5



MCMRT-0008
Corpse cart
Size: 215*75*125cm
Material: 304 stainless steel

NTTSC-5



MCMRT-0009
Corpse cart
Size: 210*110*135cm
Material: 304 stainless steel

NTTSC-4




MCMRT-0010
Corpse cart
Material: 304 stainless steel
Size: 2200mmx680mmx800mm(Other sizes)

NTSJT-2



MCMRT-0011
Corpse Lift Table
Material: 304 stainless steel
Size: 2020x640x380/1700mm(other sizes customizable)



McFINELY HEALTHCARE

MCFINELY HEALTHCARE LIMITED
P.O BOX 52558-00100,
NAIROBI KENYA.

info@mcfinelyhealthcareltd.com

www.mcfinelyhealthcareltd.com

OUR PARTNERS:

